



*Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ----- Guaranteed.*



1Y0-241 Dumps  
1Y0-241 Braindumps  
1Y0-241 Real Questions  
1Y0-241 Practice Test  
1Y0-241 Actual Questions



*[killexams.com](https://killexams.com)*

**Citrix**

# 1Y0-241

*Deploy and Manage Citrix ADC with Traffic Management*

ORDER FULL VERSION

<https://killexams.com/pass4sure/exam-detail/1Y0-241>



### Question: 47

A Citrix Administrator needs to configure a rate-limiting policy setting DNS requests to a threshold of 1,000 per second.

Which command does the administrator need to run to correctly configure this policy?

- A. HTTP
- B. RE
- C. LIMIT(<limit\_identifier>)
- D. SY
- E. CHEC
- F. LIMIT(<limit\_identifier>)
- G. SY
- H. CHEC
- . LIMIT(<limit\_identifier>) || CONNECTIO
- . I
- . LIMIT(<limit\_identifier>)
- . SY
- . CHEC
- . LIMIT(<limit\_identifier>) || HTTP
- . RE
- . LIMIT(<limit\_identifier>)

**Answer: B**

### Question: 48

Scenario: A Citrix Administrator needs to configure a Responder policy, so that the string “/mytraining” is added to every URL path received.

The administrator should use these commands to accomplish this:

```
>add responder action Redirect_Act redirect “HTTP.REQ.URL.PATH_AND_QUERY+”mytraining”” C
```

```
responseStatusCode 302
```

```
>add responder policy Redirect_Pol_____Redirect_Act
```

```
>bind lb vServer lb_vsrv_www CpolicyName Redirect_Pol Cpriority 100 CgotoPriorityExpression END C
```

```
type_____
```

(Choose the correct option to complete the set of commands.)

- A. “(HTT
- B. RE
- C. UR
- D. STARTSWITH(“mytraining”))”  
REQUEST
- E. “(HTT
- F. RE
- G. UR
- H. STARTSWITH(“mytraining”))”  
RESPONSE
- . “!(HTT
- . RE
- . UR
- . ENDSWITH(“mytraining”))”  
REQUEST
- . “!(HTT
- . RE
- . UR
- . ENDSWITH(“mytraining”))”  
RESPONSE

**Answer:** B

### Question: 49

Scenario: After deploying a Citrix ADC in production, a Citrix Administrator notices that client requests are NOT being evenly distributed among backend resources. The administrator wants to change from the default loadbalancing method to one that will help distribute the load more evenly.

Which load-balancing method would ensure that the server with the least amount of network utilization is receiving new connections?

- A. Least connection
- B. Least bandwidth
- C. Least response time
- D. Least packets

**Answer:** A

Explanation:

Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/getting-started-with-citrix-adc/loadbalancing.html>

### Question: 50

Scenario: A Citrix Administrator would like to grant access to a Junior Citrix Administrator on the Citrix ADC.

The administrator would like to grant full access to everything except the following:

Shell User configuration

Partition configuration

Which preexisting command policy would meet the needs of this scenario?

- A. Sysadmin
- B. Operator
- C. Network
- D. Superuser

**Answer:** A

**Question: 51**

Scenario: The Citrix Administrator of a Linux environment needs to load balance the web servers. Due to budget constraints, the administrator is NOT able to implement a full-scale solution.

What can the administrator purchase and install to load balance the web servers?

- A. Citrix ADC MPX
- B. Citrix ADC VPX
- C. Citrix ADC SDX
- D. Citrix ADC CPX

**Answer:** D

Explanation:

Reference: <https://www.citrix.com.br/products/citrix-adc/cpx-express.html>

**Question: 52**

Scenario: A load-balancing vServer is configured to utilize the least bandwidth load-balancing method. A service attached to this vServer is brought into the effective state during production hours.

During the startup of a vServer, which load-balancing method is used by default?

- A. Least connections
- B. Least bandwidth
- C. Custom load
- D. Round-robin

**Answer:** A

Explanation:

Reference: <https://www.eginnovations.com/documentation/Citrix-Netscaler-VPX-MPX/Load-Balancing-Virtual-Servers.htm>

**Question: 53**

A Citrix Administrator needs to protect the HTTP backend server type without actually removing the header.

Which rewrite action type can the administrator apply to the Citrix ADC configuration to accomplish this?

- A. REPLACE
- B. CORRUPT\_HTTP\_HEADER
- C. REPLACE\_HTTP\_REQ
- D. REPLACE\_ALL

**Answer:** A

### Question: 54

Scenario: While attempting to access web server that is load balanced by a Citrix ADC using HTTPS, a user receives the message below.

SSL/TLS error: You have not chosen to trust “Certificate Authority” the issuer of the server’s security certificate.

What can a Citrix Administrator do to prevent users from viewing this message?

- A. Ensure that users have the certificate’s private key.
- B. Ensure that users have the certificate’s public key.
- C. Ensure that the server certificate is linked to its respective intermediate and root certificates.
- D. Ensure that users have the server certificate installed.

**Answer:** B

Explanation:

Reference: <https://docs.citrix.com/en-us/citrix-gateway/12-1/citrix-gateway-12.1.pdf> (80)

### Question: 55

To protect an environment against Hash DoS attacks, which two configurations can a Citrix Administrator use to block all post requests that are larger than 10,000 bytes? (Choose two.)

- A. > add policy expression expr\_hashdos\_prevention “http.RE
- B. METHO
- C. EQ(“POST”) && http.RE
- D. CONTENT\_LEN
- E. GT(10000)”
- > add rewrite policy drop\_rewrite expr\_hashdos\_prevention DROP
- > bind rewrite global drop\_rewrite 100 END Ctype REQ\_OVERRIDE
- F. > add policy expression expr\_hashdos\_prevention “http.RE
- G. METHO
- H. EQ(“POST”) && http.RE
- . CONTENT\_LEN
- . GT(10000)”
- > add responder policy pol\_resp\_hashdos\_prevention expr\_hashdos\_prevention DROP NOOP
- > bind responder global pol\_resp\_hashdos\_prevention 70 END Ctype REQ\_OVERRIDE
- . > add policy expression expr\_hashdos\_prevention “http.RE
- . METHO
- . EQ(“POST”) || http.RE

```

. CONTENT_LENGTH
. GT(10000)"
> add responder policy pol_resp_hashdos_prevention expr_hashdos_prevention DROP NOOP
> bind responder global pol_resp_hashdos_prevention 70 END Ctype REQ_OVERRIDE
. > add policy expression expr_hashdos_prevention "http.RE
. METHO
. EQ("POST") || http.RE
. CONTENT_LENGTH
. GT(10000)"
> add rewrite policy drop_rewrite expr_hashdos_prevention DROP
> bind rewrite global drop_rewrite 70 END Ctype REQ_OVERRIDE
. > add policy expression expr_hashdos_prevention "http.RE
. METHO
. EQ("POST") || http.RE
. CONTENT_LENGTH
. GT(10000)"
> add responder policy pol_resp_hashdos_prevention expr_hashdos_prevention DROP NOOP
> bind responder global pol_resp_hashdos_prevention 100 END Ctype REQ_OVERRIDE
. > add policy expression expr_hashdos_prevention "http.RE
. METHO
. EQ("POST") || http.RE
. CONTENT_LENGTH
. GT(10000)"
> add rewrite policy drop_rewrite expr_hashdos_prevention DROP
> bind rewrite global drop_rewrite 100 END Ctype REQ_OVERRIDE

```

**Answer:** B,E

Explanation:

Reference: <https://support.citrix.com/article/CTX131868>

### Question: 56

Scenario: A company has three departments with proprietary applications that need to be load balanced on a Citrix ADC. The three department managers would like to use the same IP address to access their individual applications. This would mean configuring three load-balanced vServers, all using the same IP address.

What can the Citrix Administrator configure for this scenario?

- A. Three SNIPs with the same IP address on a Citrix ADC
- B. Three different Citrix ADCs that use the same IP address
- C. Three different admin partitions that allow use of the same IP address for each load-balanced vServer on a Citrix ADC
- D. Three different load-balanced vServers with three different IP addresses on a Citrix ADC

**Answer:** A

### Question: 57

Scenario: The primary content switching vServer has gone down. To troubleshoot, a Citrix Administrator has issued

the following command:

```
> show csvserver CSV
```

CSV (10.1.100.100:443) C HTTPS Type: CONTENT

State: UP

Last state change was at Mon Jun 29 15:20:43 2020

Time since last state change: 1 day, 06:47:58 610

Client Idle Timeout: 180 sec

Down state flush: ENABLED

Disable Primary vServer On Down: DISABLED

Appflow logging: ENABLED

Port Rewrite: DISABLED

State Update: DISABLED

Default: Content Precedence: URL

vServer IP and Port insertion: OFF

Persistence: NONE redirect: http://www.site1.com/mysite1/maintenance

Backup: vServerCLBC2

Listen Policy: NONE

IcmpResponse: PASSIVE

RHIstate: PASSIVE

Traffic Domain: 0

Based on this output, where will the subsequent request be redirected?

- A. http://www.site1.com/mysite1/maintenance
- B. vServerCLB-2
- C. Backup content switching vServer
- D. 10.1.100.100:443

**Answer:** A

**Question:** 58

Scenario: A Citrix Administrator manages an environment that has three SSL websites, all serving the same content.

www.company.com

www.company.net

www.company.org

The administrator would like to consolidate the websites into a single, load-balanced SSL vServer.

What can the administrator bind to use a single SSL vServer?

- A. A wildcard certificate to a single SSL vServer
- B. A wildcard certificate to a content-switching vServer
- C. The certificate of each website to a single SSL vServer
- D. A multiple SAN certificate to a single SSL vServer

**Answer: C**

**Question: 59**

What is the effect of the “set cs vServer-CS-1 CredirectURL http://www.newdomain.com/mysite/” command?

- A. If the vServer-CS-1 encounters a high connection rate, then users will be redirected to http://www.newdomain.com/mysite/.
- B. If the status of vServer-CS-1 is DOWN, then users will be redirected to http://www.newdomain .com/mysite/.
- C. All the requests to vServer-CS-1 will be redirected to http://www.newdomain.com/mysite/.
- D. All the requests without URL path/mysite/ will be redirected to http://www.newdomain.com/mysite/.

**Answer: B**

**Question: 60**

A Citrix Administrator receives user complaints about latency while accessing an application that is load balanced on the Citrix ADC.

Which tool can the administrator use to gather information regarding response time, client network latency, and server-side processing time?

- A. Citrix Application Delivery Management (ADM)
- B. HDX Insight
- C. WAN Insight
- D. Security Insight

**Answer: B**

Explanation:

Reference: <https://docs.citrix.com/en-us/citrix-application-delivery-management-service/analytics/hdxinsight.html>

**Question: 61**

Scenario: A Citrix Administrator made changes to a Citrix ADC, deleting parts of the configuration and saving some



new ones. The changes caused an outage that needs to be resolved as quickly as possible. There is no Citrix ADC backup.

What does the administrator need to do to recover the configuration quickly?

- A. Restart the Citrix AD
- C. Restore from the revision history.
- D. Run saved versus running configuration.
- E. Run highly availability (HA) file synchronization.

**Answer:** B

### Question: 62

Scenario: A Citrix Administrator needs to configure persistence on a global server load balancing (GSLB) vServer to which a service is bound. Service must continue to handle requests from the client even after it is disabled manually C accepting new requests or connections only to honor persistence. After a configured period of time, no new requests or connections are directed to the service and all existing connections are closed.

To achieve these requirements, which parameter can the administrator configure while disabling the service?

- A. Persistence threshold
- B. Persistence time-Out
- C. Wait time
- D. Request threshold

**Answer:** B

### Question: 63

Scenario: A Citrix Administrator needs to improve website loading speed. End users are reporting slow GIF image rendering speeds as they scroll down a website, which affects overall page load time.

Which Citrix ADC feature can the administrator enable to improve website performance?

- A. Domain sharding
- B. Image lazy loading
- C. Image optimization
- D. Image shrink-to attributes

**Answer:** C

### Question: 64

Scenario:

POLICY 1:

add rewrite action ACT\_1 corrupt\_http\_header Accept-Encoding

add rewrite policy POL\_1 HTTPS.REQ.IS\_VALID ACT\_1

POLICY 2:

```
add rewrite action ACT_2 insert_http_header Accept-Encoding ""identity""
```

```
add rewrite policy POL_2 "HTTP.REQ.IS_VALID " ACT_2
```

How can a Citrix Administrator successfully bind the above rewrite policies to the load-balancing vServer

lb\_vsrv so that POL\_2 is evaluated after POL\_1 is evaluated?

- A. bind lb vServer lb\_vsrv CpolicyName POL\_1 Cpriority 110 CgotoPriorityExpression NEXT Ctype REQUEST  
bind lb vServer lb\_vsrv CpolicyName POL\_2 Cpriority 100 CgotoPriorityExpression END Ctype REQUEST
- B. bind lb vServer lb\_vsrv CpolicyName POL\_1 Cpriority 90 CgotoPriorityExpression NEXT Ctype REQUEST  
bind lb vServer lb\_vsrv CpolicyName POL\_2 Cpriority 100 CgotoPriorityExpression END Ctype REQUEST
- C. bind lb vServer lb\_vsrv CpolicyName POL\_1 Cpriority 90 CgotoPriorityExpression END Ctype REQUEST  
bind lb vServer lb\_vsrv CpolicyName POL\_2 Cpriority 80 CgotoPriorityExpression NEXT Ctype REQUEST
- D. bind lb vServer lb\_vsrv CpolicyName POL\_1 Cpriority 90 Ctype REQUEST bind lb vServer lb\_vsrv CpolicyName  
POL\_2 Cpriority 100 Ctype REQUEST

**Answer:** A

# SAMPLE QUESTIONS



*These questions are for demo purpose only. **Full version** is up to date and contains actual questions and answers.*

*Killexams.com is an online platform that offers a wide range of services related to certification exam preparation. The platform provides actual questions, exam dumps, and practice tests to help individuals prepare for various certification exams with confidence. Here are some key features and services offered by Killexams.com:*



**Actual Exam Questions:** *Killexams.com provides actual exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these actual questions, candidates can familiarize themselves with the content and format of the real exam.*

**Exam Dumps:** *Killexams.com offers exam dumps in PDF format. These dumps contain a comprehensive collection of questions and answers that cover the exam topics. By using these dumps, candidates can enhance their knowledge and improve their chances of success in the certification exam.*

**Practice Tests:** *Killexams.com provides practice tests through their desktop VCE exam simulator and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice tests cover a wide range of questions and enable candidates to identify their strengths and weaknesses.*

**Guaranteed Success:** *Killexams.com offers a success guarantee with their exam dumps. They claim that by using their materials, candidates will pass their exams on the first attempt or they will refund the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exams.*

**Updated Content:** *Killexams.com regularly updates its question bank and exam dumps to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.*

**Technical Support:** *Killexams.com provides free 24x7 technical support to assist candidates with any queries or issues they may encounter while using their services. Their certified experts are available to provide guidance and help candidates throughout their exam preparation journey.*

For More exams visit <https://killexams.com/vendors-exam-list>  
*Kill your exam at First Attempt....Guaranteed!*