



Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt.
----- Guaranteed.



CPNP-AC Dumps
CPNP-AC Braindumps
CPNP-AC Real Questions
CPNP-AC Practice Test
CPNP-AC Actual Questions



killexams.com

Nursing

CPNP-AC

PNCB Certified Pediatric Nurse Practitioner - Acute Care

ORDER FULL VERSION

<https://killexams.com/pass4sure/exam-detail/CPNP-AC>



Question: 607

A healthcare provider is evaluating the effectiveness of a telemedicine program designed for pediatric patients. Which of the following metrics would best assess the program's impact on patient outcomes?

- A. The total number of telemedicine visits conducted
- B. The number of healthcare providers participating
- C. The percentage of patients who report improved health status
- D. The amount of time spent on each consultation

Answer: C

Explanation: The percentage of patients reporting improved health status directly measures the program's impact on patient outcomes.

Question: 608

A nurse practitioner is part of a committee focused on health equity in pediatric care. What is the most effective approach to ensure that health equity initiatives are successfully implemented?

- A. Engage community stakeholders in the planning and implementation process
- B. Focus solely on increasing funding for health services
- C. Limit the program to urban areas with high needs
- D. Monitor only quantitative outcomes of the initiatives

Answer: A

Explanation: Engaging community stakeholders is crucial for understanding the unique needs of the population and ensuring that health equity initiatives are culturally relevant and effective.

Question: 609

A 3-year-old child is admitted to the ICU with pneumonia and requires mechanical ventilation. The current settings are: tidal volume 8 ml/kg, respiratory rate 20 breaths/min, and PEEP of 5 cm H₂O. The latest arterial blood gas shows pH 7.28, PaCO₂ 60 mmHg, and PaO₂ 55 mmHg. What is the most appropriate adjustment to improve the child's ventilation?

- A. Increase the respiratory rate to 30 breaths/min
- B. Increase the tidal volume to 10 ml/kg
- C. Decrease the PEEP to 2 cm H₂O
- D. Change the mode to CPAP

Answer: A

Explanation: Increasing the respiratory rate can help improve ventilation in a patient with hypercapnia and acidosis, aiming to reduce PaCO₂ levels.

Question: 610

A nurse practitioner is working with a multidisciplinary team to develop a care plan for a child with behavioral health issues. Which of the following roles is essential to include in the team to address the child's social needs?

- A. Social worker
- B. Speech-language pathologist
- C. Occupational therapist
- D. Pediatrician

Answer: A

Explanation: A social worker is essential for addressing the child's social needs, such as family dynamics and community resources, which impact overall health and well-being.

Question: 611

A 1-year-old child presents with fever and a rash. The lab results show an elevated white blood cell count and elevated C-reactive protein. What is the most likely diagnosis?

- A. Bacterial infection
- B. Viral exanthem
- C. Allergic reaction
- D. Autoimmune disease

Answer: A

Explanation: The combination of fever, rash, elevated white blood cell count, and C-reactive protein suggests a bacterial infection, which requires prompt evaluation and treatment.

Question: 612

A 15-year-old boy sustains a traumatic injury during a sports event and presents with hypotension, tachycardia, and altered mental status. Which of the following is the most appropriate initial management step?

- A. Administer intravenous fluids
- B. Begin high-flow oxygen therapy
- C. Perform a rapid trauma assessment
- D. Prepare for immediate surgical intervention

Answer: C

Explanation: A rapid trauma assessment is crucial to identify the extent of injuries and prioritize interventions, including fluid resuscitation and stabilization.

Question: 613

A nurse is discussing the management of a child with a chronic condition and the importance of maintaining a routine. Which of the following components should the nurse emphasize as essential for effective disease management?

- A. Consistent meal times and medication administration
- B. Flexibility in medication schedules based on the child's mood
- C. Only following the prescribed diet during doctor's visits
- D. Ignoring symptoms unless they worsen significantly

Answer: A

Explanation: Consistent meal times and medication administration are critical components of managing chronic conditions effectively and can help stabilize the child's health.

Question: 614

A pediatric patient requires a medication that is typically available only in a hospital setting. The healthcare team discusses using telemedicine to facilitate access. What is the most critical factor to consider in this scenario?

- A. The patient's ability to visit the hospital for medication
- B. The availability of telehealth services in the area
- C. The potential for coordination with the pharmacy for medication delivery
- D. The patient's preference for in-person visits

Answer: C

Explanation: Coordination with the pharmacy for medication delivery is crucial to ensure the patient has access to necessary medications while utilizing telemedicine.

Question: 615

During a wellness visit, a nurse practitioner notices that a 6-year-old child is significantly underweight for their height, with a BMI in the 5th percentile. The child's mother mentions that they primarily consume sugary beverages and snacks. Which intervention should be prioritized to promote healthy eating habits?

- A. Educate the family about the importance of balanced meals and healthy snacks

- B. Refer to a pediatric nutritionist for detailed dietary planning
- C. Schedule a follow-up visit in one month to monitor weight
- D. Suggest switching to low-calorie beverages to reduce sugar intake

Answer: A

Explanation: Education about balanced nutrition is crucial for establishing healthy eating habits in children. While referral and follow-up are important, direct education will empower the family to make immediate changes.

Question: 616

A nurse is preparing to perform tracheostomy care for a child. Which of the following steps should be taken first to ensure patient safety during the procedure?

- A. Assess the child's airway patency and respiratory status.
- B. Gather all necessary supplies and equipment.
- C. Explain the procedure to the child and family.
- D. Suction the tracheostomy tube to clear any secretions.

Answer: A

Explanation: Assessing the child's airway patency and respiratory status is the first step to ensure patient safety before initiating any procedures, including tracheostomy care.

Question: 617

A 11-year-old girl presents with a sudden onset of severe headache, photophobia, and a stiff neck. A lumbar puncture reveals cloudy cerebrospinal fluid with an elevated white blood cell count. What is the most likely diagnosis?

- A. Bacterial meningitis
- B. Viral meningitis
- C. Encephalitis
- D. Subarachnoid hemorrhage

Answer: A

Explanation: The presence of cloudy cerebrospinal fluid and elevated white blood cell count, along with the clinical presentation, indicates bacterial meningitis.

Question: 618

A 36-week gestational age infant is being evaluated for developmental milestones in the NICU. Which of the following milestones should the nurse expect at this age?

- A. Ability to lift head when prone
- B. Ability to roll over from back to stomach
- C. Ability to sit independently
- D. Ability to crawl

Answer: A

Explanation: Infants born at 36 weeks gestation can typically lift their heads when placed in a prone position, which is an important developmental milestone.

Question: 619

A nurse practitioner is reviewing the impact of social determinants of health on pediatric patients. Which of the following factors is considered a social determinant that can significantly affect health outcomes?

- A. Genetic predisposition to diseases
- B. Family history of chronic illness
- C. Availability of advanced medical treatments
- D. Access to nutritious food

Answer: D

Explanation: Access to nutritious food is a key social determinant of health that can significantly influence health outcomes, particularly in pediatric populations, affecting growth and development.

Question: 620

A nurse is assessing a child's airway who is at risk for respiratory compromise. Which of the following signs indicates potential airway obstruction?

- A. Use of accessory muscles during breathing
- B. Clear lung sounds on auscultation
- C. Normal respiratory rate for age
- D. Symmetrical chest expansion

Answer: A

Explanation: The use of accessory muscles during breathing is a sign of respiratory distress and potential airway obstruction, indicating the need for immediate intervention.

Question: 621

A 8-year-old child is brought to the clinic with a history of progressive weakness and loss of motor skills. A muscle biopsy shows dystrophic changes. What is the most likely diagnosis?

- A. Spinal muscular atrophy

- B. Myasthenia gravis
- C. Becker muscular dystrophy
- D. Duchenne muscular dystrophy

Answer: D

Explanation: Dystrophic changes in muscle biopsy are characteristic of Duchenne muscular dystrophy, which typically presents with progressive muscle weakness.

Question: 622

A nurse is providing discharge education for parents of a premature infant diagnosed with retinopathy of prematurity (ROP). Which of the following statements by the parents indicates a need for further teaching?

- A. "We understand that our baby will need follow-up eye exams."
- B. "We can expect our baby to see normally as they grow."
- C. "We should avoid exposing our baby to bright lights."
- D. "We need to monitor for signs of visual impairment."

Answer: B

Explanation: While many infants with ROP may develop normal vision, there is no guarantee, and some may have visual impairment; hence, this statement indicates a misunderstanding.

Question: 623

A nurse is teaching a family about the management of a child with autism spectrum disorder (ASD). Which of the following strategies should the nurse emphasize to support communication development?

- A. Encouraging the child to express emotions verbally at all times
- B. Restricting interaction with peers to minimize stress
- C. Allowing the child to communicate solely through gestures
- D. Using visual aids and structured routines to enhance understanding

Answer: D

Explanation: Using visual aids and structured routines can greatly support communication development in children with ASD by providing clear and consistent cues that enhance understanding.

Question: 624

A 4-year-old child presents with signs of dehydration including dry mucous membranes, a capillary refill time of 4 seconds, and lethargy. Laboratory studies reveal a serum sodium level of 150 mEq/L. What is the most appropriate initial treatment?

- A. Provide oral rehydration solutions
- B. Administer intravenous normal saline
- C. Administer hypotonic saline
- D. Start intravenous D5W

Answer: B

Explanation: The child is significantly dehydrated with a hypernatremic state, necessitating intravenous normal saline to restore volume and correct electrolyte imbalances.

Question: 625

A nurse is preparing to administer ibuprofen to a 6-year-old child weighing 20 kg for fever management. The recommended dose of ibuprofen is 10 mg/kg every 6-8 hours. What is the maximum single dose the nurse can administer?

- A. 150 mg
- B. 100 mg
- C. 200 mg
- D. 300 mg

Answer: B

Explanation: The maximum single dose for ibuprofen at 10 mg/kg for a 20 kg child is calculated as $20 \text{ kg} \times 10 \text{ mg/kg} = 200 \text{ mg}$; however, the maximum single dose typically administered is limited to 100 mg in practice for safety in children.

Question: 626

A nurse is preparing to intubate a 4-year-old child in respiratory distress. Which of the following assessments should the nurse perform prior to intubation to determine the appropriate tube size?

- A. Measure the child's weight
- B. Assess the child's height
- C. Measure the child's neck circumference
- D. Use the formula $(\text{Age} + 16) / 4$

Answer: D

Explanation: The formula $(\text{Age} + 16) / 4$ provides an estimate for the correct endotracheal tube size in pediatric patients, aiding in appropriate intubation.

Question: 627

A nurse is assessing a child who has recently been diagnosed with celiac disease. Which of the following dietary modifications is essential for this child?

- A. Increase intake of gluten-containing grains such as wheat and barley.
- B. Introduce dairy products to enhance calcium intake.
- C. Eliminate all sources of gluten from the diet.
- D. Limit fruits and vegetables due to potential fiber overload.

Answer: C

Explanation: Eliminating gluten from the diet is essential for managing celiac disease, as gluten can cause damage to the intestinal lining.

Question: 628

A 9-year-old girl with a history of asthma is prescribed a short-acting beta-agonist (SABA) for acute wheezing. What is the primary pharmacological action of this medication class?

- A. Bronchodilation
- B. Anti-inflammatory
- C. Mucolytic action
- D. Anticholinergic

Answer: A

Explanation: Short-acting beta-agonists (such as albuterol) primarily act as bronchodilators by relaxing bronchial smooth muscle, providing quick relief from acute asthma symptoms.

Question: 629

A nurse is reviewing a study on the effectiveness of a new analgesic in pediatric patients. The study uses a control group receiving a placebo. What type of evidence-based practice study design is being utilized?

- A. Cohort study
- B. Randomized controlled trial
- C. Case-control study
- D. Cross-sectional study

Answer: B

Explanation: A randomized controlled trial (RCT) is designed to compare the effects of an intervention against a placebo, providing high-quality evidence for efficacy.



KILLEXAMS.COM

Killexams.com is an online platform that offers a wide range of services related to certification exam preparation. The platform provides actual questions, exam dumps, and practice tests to help individuals prepare for various certification exams with confidence. Here are some key features and services offered by Killexams.com:



Actual Exam Questions: *Killexams.com provides actual exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these actual questions, candidates can familiarize themselves with the content and format of the real exam.*

Exam Dumps: *Killexams.com offers exam dumps in PDF format. These dumps contain a comprehensive collection of questions and answers that cover the exam topics. By using these dumps, candidates can enhance their knowledge and improve their chances of success in the certification exam.*

Practice Tests: *Killexams.com provides practice tests through their desktop VCE exam simulator and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice tests cover a wide range of questions and enable candidates to identify their strengths and weaknesses.*

Guaranteed Success: *Killexams.com offers a success guarantee with their exam dumps. They claim that by using their materials, candidates will pass their exams on the first attempt or they will refund the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exams.*

Updated Content: *Killexams.com regularly updates its question bank and exam dumps to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.*

Technical Support: *Killexams.com provides free 24x7 technical support to assist candidates with any queries or issues they may encounter while using their services. Their certified experts are available to provide guidance and help candidates throughout their exam preparation journey.*